

STD and HIV Infection by Public Health District of Residence – Idaho January - March 2018*

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	0	204	45	4	0	1	254
2	0	111	7	1	0	0	119
3	1	384	45	0	0	0	430
4	2	548	74	6	0	0	630
5	1	176	15	2	1	1	196
6	0	106	18	1	0	0	125
7	0	125	9	1	0	1	136
Total	4	1,654	213	15	1	3	1,890

STD and HIV Infection by Public Health District of Residence – Idaho January – March 2017*

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	4	100	24	1	0	1	130
2	0	79	10	1	0	0	90
3	1	174	22	0	0	0	197
4	2	366	56	1	0	3	428
5	2	122	12	1	0	0	137
6	0	79	3	0	0	0	82
7	0	86	4	0	0	0	90
Total	9	1,006	131	4	0	4	1,154


*Data are provisional. Percentages may not sum 100 due to rounding.

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

**Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.

HIV infection as defined by CDC inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."



Idaho District Health Departments							
District 1	Coeur d'Alene	415-5100					
District 2	Lewiston	799-3100					
District 3	Caldwell	455-5300					
District 4	Boise	375-5211					
District 5	Twin Falls	734-5900					
District 6	Pocatello	233-9080					
District 7	Idaho Falls	522-0310					

Persons Presumed Living¹ with HIV Infection by Stage 3 (AIDS) Status – Idaho, reported 1/1/1984 – 3/31/2018								
	HIV Infecti	ion not yet St	age 3 (AIDS)	HIV Ir				
Public Health District	Reported ²	Reported Deceased	Presumed Living	Reported ³	Reported Deceased	Presumed Living	Total Presumed Living	
1	112	12	100	200	85	115	215	
2	56	10	46	87	31	56	102	
3	131	17	114	198	69	129	243	
4	482	52	430	615	248	367	797	
5	93	10	83	138	51	87	170	
6	89	15	74	149	63	86	160	
7	75	6	69	116	51	65	134	
TOTAL	1,038	122	916	1,503	598	905	1,821	

¹ Presumed living: Cases ever reported in Idaho and not reported as deceased

Number of reported individuals with HIV Infection (not yet HIV Stage 3 [AIDS]) ever reported in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS)

 $^{^{\,3}\,}$ Number of individuals with Stage 3 HIV Infection (AIDS) ever reported in Idaho

HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through March 31,						2018	
	HIV Infe	ection	HIV Infection		·		
	•	not yet Stage 3 (AIDS)		Stage 3 (AIDS)		COMBINED	
Sex	(AID	3)	(AIL	JS)	COME	INED	
Male	515	84%	745	85%	1,260	85%	
Female	101	16%	130	15%	231	15%	
Total	616	100%	875	100%	1,491	100%	
Pediatric/Adult & Adolescent							
Adults/Adolescents (13 or above)	613	100%	868	99%	1,481	99%	
Pediatric (<13 years)	3	0%	7	1%	10	1%	
Total	616	100%	875	100%	1,491	100%	
Race/Ethnicity							
Hispanic - All Races	72	12%	105	12%	177	12%	
Not Hispanic American Indian/Alaska Native	11	2%	12	1%	23	2%	
Asian	8	1%	2	0%	10	1%	
Black	34	6%	37	4%	71	5%	
Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%	
White	470	76%	703	80%	1,173	79%	
Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%	
Multi-race	5	1%	8	1%	13	1%	
Unknown	16	3%	6	1%	22	1%	
Total	616	100%	875	100%	1,491	101%	
Exposure Categories - Adults/Adolescents	0.0	10070	0.0	10070	.,	10170	
Men who have sex with men (MSM)	300	49%	440	51%	740	50%	
Injection drug use	56	9%	90	10%	146	10%	
MSM and inject drugs	66	11%	80	9%	146	10%	
Hemophilia/Coagulation disorder	1	0%	18	2%	19	1%	
High-risk heterosexual contact	68	11%	105	12%	173	12%	
Presumed heterosexual contact	14	2%	17	2%	31	2%	
Receipt of blood, components, or tissue	2	0%	11	1%	13	1%	
Other/risk not reported or identified	106	17%	107	12%	213	14%	
Total	613	100%	868	100%	1,481	100%	
Exposure Categories - Pediatric	0	00/	0	00/	0	00/	
Hemophilia/Coagulation disorder Mother with/at risk for HIV infection	0 3	0% 100%	0 4	0% 57%	0 7	0% 70%	
Receipt of blood, components, or tissue	0	0%	2	29%	2	20%	
Other/risk not reported or identified	0	0%	1	14%	1	10%	
Total	3	100%	7	100%	10	100%	
Cases by Age Group		10070		10070		10070	
Under 5	3	0%	3	0%	6	0%	
5-12	0	0%	1	0%	1	0%	
13-19	15	2%	8	1%	23	2%	
20-29	257 173	42%	131	15%	388	26%	
30-39		28%	339	39%	512	34%	
40-49	117 51	19%	248	28%	365	24%	
Over 49		8%	145	17%	196	13%	
Unknown		0%	0	0%	0	0%	
Total This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states.	616	100%	875	100%	1,491	99%	

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not equal 100 due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at allen.haumann@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.